



## **HOO** SERIES

Product catalogue

Issue 24C



# The very essence of Dura. This beautiful, simple design is the meeting point of form and function

Our flagship product, the 600 Series, has represented the absolute pinnacle of workshop furniture for over 25 years. Now, Dura has utilised every element of its design experience and manufacturing expertise to create an entirely new range of world-class furniture.

The 400 Series has been designed from the ground up to be simple. **Simple to choose, simple to buy, and simple to install.** 

The 400 Series revolves around the purchasing of combination packages. This concept enables customers to choose the layout that best meets their needs, have their products delivered in a matter of days and installed within hours.



## Dura's world-class design expertise

When you invest in Dura furniture, you can be sure that you are buying something of real quality. Dura's award-winning equipment is used within the workshops of the most prestigious automotive brands worldwide – and for good reason.

We use the very latest manufacturing technology to assure you of consistent quality time after time, backed by Dura's legendary service and product guarantee.

In 1997, Dura transformed the automotive workshop with its revolutionary furniture system which, despite many copies, remains the premium system of choice. Think of a leading, prestigious automotive brand and the chances are that they either recommend or insist upon Dura.

## **400** SERIES System Overview



- ✓ Painted in Architectural grade Anthracite Grey (RAL7016) textured paint
- Steel is pre-treated with 1 anti-corrosive phosphate coating ahead of powder coating for a superior long-lasting finish
- Hard-wearing ABS plastic work surface, fitted to all base units as standard
- **Compliant with ISO standards**

## Flexibility

- 600, 900 and 1200mm range options
- 1 Full height and low-level configuration options

reddot

design award

- 1 Key-to-door or key-to-suite (excluding D4UC065/95) locking options
- Height-adjustable internal shelves 1
- Alternative beech or stainless-steel worktops available

## Quality

QM S√

**ISO 9001** 

&14001

EGISTEREI

MADE IN BRITAIN

- High-capacity shelving (20kg max. load)
- High-capacity drawer runners (60kg max. load)
- **Foam-lined drawers**

servicefirst

AkzoNobel

Associated

Quality Coate

- All cabinet units supplied ready-assembled
- Integrated levelling system with adjustable feet
- Proudly designed and manufactured in Britain
- Includes 10 Year Guarantee\* (see page 27)

AXALT/ ICAN



## Soft-close drawers

- Magnetic door closing mechanism ensures security
- Lockable doors and drawers
- Anti-tilt mechanism for mobile units
- Lockable castors

## Open-fronted and drawer base units

The 400 Series' comprehensive mix of base units provides the perfect foundation for every workspace configuration. The open-fronted base units offer a lower-cost easy-access solution for storage, with the option for additional shelves ensuring your requirements are met. The drawer units provide a range of drawer sizes, all foam-lined, which keep your valuable items secured under lock and key.



## Key Features

- Lockable 'soft close' drawers lined with foam
- High-capacity drawer runners (60kg max. load)
- ✓ High-capacity adjustable internal shelving (20kg max. load)
- Hard-wearing ABS plastic work surface fitted as standard to all base units
- Integrated levelling system with adjustable feet



Base units can be levelled with adjustable feet, that are accessed from above

## **OPEN-FRONTED BASE UNITS**

MAX 20k



D4BU061

W 600mm



D4BU121 W 1200mm

2-DRAWER BASE UNITS Internal Internal Lockable drawer units dimensions dimensions with 2 x extra large drawers for drawers: for drawers: with foam lining. W 780mm W 480mm W 600 or 900mm D 470mm D 470mm D 600mm H 416(184)mm H 416(184)mm H 950mm RAN 416 416 60k D4DU062 D4DU092 184 184 W 600mm W 900mm

W 900mm

## **5-DRAWER BASE UNITS**



Internal

dimensions

for drawers:

Medium

W 659mm

D 464mm

H 78mm

W 180mm


D 464mm

H 183mm

Large

## Under-bench mobile cabinet and trolley system

Transport tools to the task, then stow neatly back in place with the 400 Series bridging system. Configure areas for mobile cabinets or trolleys beneath an even, continuous worksurface to maximise usable space.



**BRIDGING UNIT** 



#### **UNDER-BENCH CABINETS**

Mobile drawer cabinets to fit under bridging units. Contains 4x medium and 1x large foam-lined soft-close drawers. Includes front-facing pull handles and lockable castors. W 500 or 800mm, D 572mm,





## **UNDER-BENCH TROLLEYS**

Trollevs with 3 fixed shelves to fit under bridging units. With lockable castors.

W 520 or 820mm D 520mm H 838mm



**BRIDGING UNITS** 

Designed to span gaps

between base units

D 600mm, H 50mm

underneath the worktop

and/or bridge supports.

D4BR060 W 600mm

D4BR090 W 900mm

D4BR120 W 1200mm



Internal

dimensions

for drawers:

Medium

W 359mm

D 464mm

H 78mm

W 359mm

D 464mm

H 183mm

Large

D4UC065

W 500mm

W 520mm


### **INFILL PANELS**

Rear cover panels beneath bridging units for a clean, concealed space.

For base unit to base unit



D4BI060 W 600mm D4BI061 W 560mm D4BI090 W 860mm D4BI090 W 900mm D4BI120 W 1200mm D4BI121 W 1160mm



For base unit

to bridge support



D4BS001 W 40mm, D 600mm, H 900mm





**D4TR090** W 820mm

D4UC095

W 800mm

configuration where no base unit can be attached to.

For a bridge unit

BRIDGE

SUPPORT





## Door and waste management units

These spacious cabinets provide bulk storage and full-height organisation options under lock and key.

Door base units are fitted with a single adjustable shelf, with the option to add more, whilst tall closets can be fitted with up to three extra shelves and/or an optional coat rail.

The waste management unit houses a removable bin, glove dispenser and towel dispenser within two pull-out drawers.




## Key Features

- Lockable doors, with magnetic closing
- High load capacity shelving (20kg max.)
- High-capacity drawer runners (60kg max. load)
- ABS plastic work surface fitted to all base units as standard
- Capacity for additional shelves
- Coat rails can be mounted in the closet roof or to the underside of shelves
- 🗸 Integrated levelling system with adjustable feet




#### **DOOR BASE UNITS**



Base unit with drawers for a removable wastebin, paper towels, and gloves. Includes ABS plastic work surface. W 600mm, D 600mm, H 950mm

D4BB060



## Door and open-fronted wall units

Maximise the storage potential of your space with high-level 'wall' units, available in 600, 900, or 120mm widths. These can be open-fronted or fitted with gas-strut doors.

These units are easily fitted to robust backstraps, which attach to lower base units to provide a freestanding solution, whilst lower back panels fit beneath for a continuous finish.

#### WALL UNITS WITH DOORS

High-level units with vertically opening doors and an internal shelf.



## OPEN-FRONTED WALL UNITS

High-level open fronted units with an internal shelf.

W 600mm

D 250mm

H 550mm



4	

## Key Features

- Choice of 600, 900 and 1200mm widths
- Quick assembly onto backstraps
- / Twin gas-struts for a vertically opening door
- 🗸 🛛 Fixed internal shelf





W 900mm

D 250mm

H 550mm

### W 1200mm D 250mm H 550mm


## Backstraps and sidestraps


2m high backstraps and sidestraps are used to attach wall units and back panels to base units.


**Backstraps** are made from galvanised steel and suitable for <u>hidden</u> fixing positions.

#### Sidestraps are

painted to match the cabinets and back panels and so are suitable for fixing positions that are <u>visible</u> from the sides








#### BACKSTRAPS



## SIDESTRAPS





## Trunking system

The trunking system allows power sockets to be mounted at a low level and angled for ease of use. Trunking sections are available at the standard 600mm, 900mm and 1200mm module widths and painted in the standard 400 Series Anthracite Grey (RAL7016) finish. The trunking sections, end plates and sockets are supplied as separate items for self assembly.

All electrical work should be completed by a qualified electrician.



End

W 600mm TRCUK061 TRCUK091 W 900mm

W 1200mm TRCUK121

MES-002SS **TRC001 Stainless steel** plate double socket (UK)

## Workbenches

In addition to the range of base units, the 400 series includes a workbench designed primarily as a stand alone bench. This is available configured with a beech or stainless steel worksurface and painted to match the wider 400 series range. These workbenches have been designed with additional heavy-duty capacity for mounting of a vice we do not recommend mounting vices to any other 400 Series products.



STAINLESS STEEL worktop W 1200mm D 600mm H 840mm

Workbench with a

D4WB121






Workbench with a **BEECH** worktop

W 1200mm D 600mm H 840mm

## Upstands

For installations without back panels, the 400 Series includes 150mm high upstands, to attach to the rear of base units. This provides a low barrier to reduce the risk of items rolling off and behind the cabinet.





Attaches to rear of base units



Upstands can join with trunking system




D4BP122 150mm upstand

Workbenches are suitable for vice mounting

Workbenches can be fitted with an upstand, between other 400 Series cabinets, but are not compatible with the back panel system

## Corner Configuration

The modularity of the 400 Series allows the building of a continuous run of base units and back panels around a corner. The special items used to achieve this are indicated below.



## Alternative worksurfaces

Alternative 40mm worksurfaces can be chosen instead of the standard ABS plastic fitted. These can be mounted on base units without back panels (1), or fitted projecting (2) where back panels are present.



#### **40MM BEECH WORKTOPS**

W 600mm	D4WT060
W 900mm	D4WT090
W 1200mm	D4WT120
W 1500mm	D4WT150
W 1800mm	D4WT180





Fitting position 2

A DFBK004 Corner backstrap in galvanised steel H 1965mm

. 0

> **B** D4BPC061 Special corner upper blank panel

W 585mm

D 15mm

H 505mm

. blank panel W 585mm D 15mm H 545mm

base unit


D 600mm H 950mm

1200mm open-fronted

W 1200mm

D4ST060 W 600mm W 900mm D4ST090 W1200mm D4ST120 W1500mm D4ST150

W1800mm D4ST180





Fitting position 1

Fitting position 2

## Combination packages

The modularity of the 400 Series offers a wide range of possibilities, so we've gathered our most popular combinations as starting packages. These can be purchased as shown, or form the basis for a larger design.



## Low-Level **Combination Package 1 D4CPL241**

**Overall dimensions:** W 2400mm, D 600mm, H 950mm

Package contains:	
• 900mm 5-drawer base unit	D4DU095
<ul> <li>600mm bridging unit</li> </ul>	D4BR060
<ul> <li>600mm infill panel</li> </ul>	D4BI060

D4BU090

 600mm infill panel • 900mm base unit with doors



## Low-Level **Combination Package 3 D4CPL243**

**Overall dimensions:** W 4200mm, D 600mm, H 950mm

#### Package contains:

- 900mm 5-drawer base unit D4DU095 • 800mm under-bench cabinet D4UC095 • 900mm bridging unit D4BR090 • 900mm infill panel D4BI090
- Waste management base unit
- D4BB060 • 900mm 2-drawer base unit D4DU092
- 900mm base unit with doors D4BU090



Low-Level **Combination Package 2** 

**D4CPL242** 

**Overall dimensions:** W 3300mm, D 600mm, H 950mm

- 900mm 5-drawer base unit D4DU095 • 900mm base unit with doors 900mm bridging unit • 900mm infill panel
- D4BU090 D4BR090 D4BI090 • Waste management unit D4BB060



## Low-Level **Combination Package 4 D4CPL244**

#### Overall dimensions:

W 3600mm, D 2100mm, H 950mm

#### **Package contains:**

- 600mm base unit with door D4BU060 • 900mm 2-drawer base unit D4DU092
- 900mm 5-drawer base unit D4DU095
- · Waste management base unit D4BB060
- 1200mm open-fronted base unit D4BU121
- 800mm under-bench cabinet • 900mm bridging unit
- 900mm infill panel
- Bridge support

#### High-Level Combination Packages ▷

D4UC095

D4BR090

D4BI090

D4BS001



## **High-Level Combination Package 1 D4CPH241**

Overall dimensions:

#### W 2400mm, D 600mm, H 2000mm

D4DU095 D4BR060

D4BI060

D4BU090

D4BP060


D4BK001 (x4)

D4BK050 (x2)

D4WU090 (x2)

Package	contains:
---------	-----------

- 900mm 5-drawer base unit
- 600mm bridging unit
- 600mm infill panel
- 900mm base unit with doors
- 900mm wall units with door (x2)
- 600mm wall unit with door
- D4WU060 • 900mm blank low back panel (x2) **D4BP090** (x2)
- 600mm blank low back panel
- Backstrap (x4)
- 50mm Sidestrap (x2)





## **High-Level Combination Package 2 D4CPH242**

Overall dimensions: W 3300mm, D 600mm, H 2000mm

#### Package contains:

• 900mm 5-drawer base unit		D4DU095	
<ul> <li>900mm base unit with doors</li> </ul>		D4BU090	
• 900mm br	<ul> <li>900mm bridging unit</li> </ul>		D4BR090
• 900mm infill panel		D4BI090	
Waste management base unit		D4BB060	
• 900mm wall unit with door (x3)		<b>D4WU090</b> (x3)	
• 600mm w	all unit wit	h door	D4WU060
• 900mm blank low back panel (x3)		<b>D4BP090</b> (x3)	
• 600mm bl	ank low ba	ack panel	D4BP060
📙 Backstra	ар (хб)		D4BK001 (x6)
📙 50mm S	idestrap ()	x2)	<b>D4BK050</b> (x2)
<u>u</u>	цц	<u>– – – – – – – – – – – – – – – – – – – </u>	<u> </u>
			E
			j

3300mm



## **High-Level Combination Package 3 D4CPH243**

Overall dimensions:

W 4200mm, D 600mm, H 2000mm

#### Package contains:

r achage containst	
<ul> <li>900mm 5-drawer base unit</li> </ul>	D4DU095
<ul> <li>800mm under-bench cabinet</li> </ul>	D4UC095
<ul> <li>900mm bridging unit</li> </ul>	D4BR090
<ul> <li>900mm infill panel</li> </ul>	D4BI090
<ul> <li>Waste management base unit</li> </ul>	D4BB060
<ul> <li>900mm 2-drawer base unit</li> </ul>	D4DU092
<ul> <li>900mm closet unit</li> </ul>	D4CU090
<ul> <li>900mm wall unit with door (x3)</li> </ul>	D4WU090 (x3)
600mm wall unit with door	D4WU060
<ul> <li>900mm blank low back panel (x3)</li> </ul>	<b>D4BP090</b> (x3)
600mm blank low back panel	D4BP060
Backstrap (x7)	D4BK001 (x7)
50mm Sidestrap (x2)	D4BK050 (x2)

4200mm




## **High-Level Combination Package 4 D4CPH244**

Overall dimensions: W 3600mm, D 2100mm, H 2000mm

#### Package contains:

600mm closet unit	D4CU060
900mm 2-drawer base unit	D4DU092
900mm 5-drawer base unit	D4DU095
Waste management base unit	D4BB060
1200mm open-fronted base unit	D4BU121
800mm under-bench cabinet	D4UC095
900mm bridging unit	D4BR090
900mm infill panel	D4BI090
Bridge support	D4BS001
900mm wall unit with door (x3)	D4WU090 (x3)
600mm wall unit with door	D4WU060
900mm blank low back panel (x3)	<b>D4BP090</b> (x3)
600mm blank low back panel	D4BP060
1200mm blank low back panel	D4BP120
1200mm blank high back panel	D4BP121
Corner low back panel	D4BPC060
Corner high back panel	D4BPC061
Backstrap (x9)	D4BK001 (x9)
Corner backstrap	D4BK004
50mm Sidestrap (x2)	<b>D4BK050</b> (x2)



## Complementary products

Dura offers a range of products often requested by clients for use with the modular furniture system, outlined below. **Visit our website for further details.** 

### TOOLS AND TOOL CONTROL FOAM

Dura offers sets of professional-quality tools in custom-cut control foam to fit Dura storage cabinets. These sets contain everything required by technicians for modern workshop servicing, covered by a tool lifetime guarantee. Dura can also organise tool sets to meet corporate standards.



## **PVC FLOOR TILES**

Bare concrete floors create problems with cracking, dust, and cold. That's why Dura offers a range of PVC interlocking floor tiles as a convenient solution. These tiles are easy to lay without the need for gluing and are available in textured or studded finish, in a variety of colours.



## DURA STOREPANEL<sup>™</sup> WALL SYSTEM

Clear clutter off the floor and onto the walls with StorePanel<sup>™</sup> – the ultimate flexible wall-mounted storage solution. These tough PVC panels provide the perfect storage solution for bulky awkward items that don't belong in cupboards. Once in place, you simply 'clip-on' the hooks and baskets, wherever you wish, then, move them around – no further fixing holes required!



## Designed with self-installation in mind...

The 400 series has been created to make installation well within the capabilities of a customer with basic DIY experience.

Unlike many storage systems, Dura 400 Series cabinets are **supplied ready assembled**, so installation requires only bolting and slot assembly for most configurations.

Printed installation instructions are provided with all products.





Dura's professional installation service

For those looking for peace of mind when fitting their 400 Series furniture, or who are purchasing as part of a larger project, we offer a complete **professional installation service**.

Our experienced team have worked on major flagship commercial projects around the world, so you are in good hands. Our team help with unpacking and assembly, ensuring everything is fitted and levelled perfectly... and all rubbish tidied away.

Professional Installation for 400 Series is priced based on your location and individual project requirements, so for a quotation, **please contact us on 01280 706050.** 

## Proudly made in Britain

Award-winning cabinets don't happen by accident. Dura boasts one of the world's most advanced sheet metal manufacturing facilities at its plant in Plymouth, with a highly skilled team to match. We have the very latest machinery from laser cutting, punch presses and press brakes, to CNC panel benders.

Dura can assure you of consistent quality, time after time. Our machines can also run on 'lights out' mode overnight for ultimate efficiency.

Not only do Dura's facilities produce the cabinetry with precision, but our skilled teams finish the assembly by hand. This hand finished touch uses only the best components for smooth operation, longevity of the product, and an additional stage of quality control checking. Our production teams operate within the strict standards demanded by our ISO-9001 and ISO-14001 accreditations.

You can be confident that no other company can match our experience or expertise when it comes to your workshop – we were the first company to design and manufacture integrated workshop furniture for which we have won 3 national and international awards.











MEMBER SINCE 2014



The Official Mark for British Manufacturing



## THE DURA PRODUCT GUARANTEE

Our guarantee covers the cost of spare parts and labour for the repair or replacement of Dura components for 10 years from the date of purchase by its first user.

For the full terms of our guarantee and repair procedures, **please contact us on 01280 706050.** 





Dura Limited St James Road, Brackley Northants NN13 7XY

tel +44 (0) 1280 706050 fax +44 (0) 1280 700444

email info@dura.co.uk web www.dura.co.uk

Due to our policy of continuous improvement, we reserve the right to alter specifications and prices without prior notice.